

Printing date 01/14/2016

Reviewed on 01/14/2016

### \* 1 Identification

#### - Product identifier

- **Trade name:** Seize Release Nickel Anti-Seize
- **Synonyms:** 80-117 Seize Release Nickel Anti-Seize Quick Pump
- **Part number:** 80-117

#### - Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:**  
Kimball Midwest  
4800 Roberts Road  
Columbus, OH 43228  
Tel: (800) 233-1294
- **Information department:** Product safety department
- **Emergency telephone number:**  
United States: 1-800-424-9300  
International: +1-703-527-3887

### \* 2 Hazard(s) identification

#### - Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.  
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### - Label elements

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

#### - Hazard-determining components of labeling:

nickel powder (particle diameter < 1 mm)

#### - Hazard statements

H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H372 Causes damage to organs through prolonged or repeated exposure.

#### - Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P280 Wear protective gloves.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P264 Wash face, hands and any exposed skin thoroughly after handling.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P270 Do not eat, drink or smoke when using this product.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P363 Wash contaminated clothing before reuse.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/14/2016

Reviewed on 01/14/2016

Trade name: Seize Release Nickel Anti-Seize

(Contd. of page 1)

## - Classification system:

### - NFPA ratings (scale 0 - 4)



### - HMIS-ratings (scale 0 - 4)



## - Other hazards

### - Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## \* 3 Composition/information on ingredients

### - Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

### - Dangerous components:

7440-02-0	nickel powder (particle diameter < 1 mm)	Carc. 2, H351; STOT RE 1, H372; Skin Sens. 1, H317	20-30%
-----------	--	--	--------

## \* 4 First-aid measures

### - Description of first aid measures

#### - General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### - After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

#### - After skin contact: Immediately wash with water and soap and rinse thoroughly.

#### - After eye contact: Rinse opened eye for several minutes under running water.

#### - After swallowing: If symptoms persist consult doctor.

#### - Information for doctor:

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

#### - **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## \* 5 Fire-fighting measures

### - Extinguishing media

#### - Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

### - Special hazards arising from the substance or mixture

No further relevant information available.

### - Advice for firefighters

#### - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## \* 6 Accidental release measures

### - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

### - Environmental precautions: Do not allow to enter sewers/ surface or ground water.

### - Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Dispose of the collected material according to regulations.

### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/14/2016

Reviewed on 01/14/2016

Trade name: Seize Release Nickel Anti-Seize

(Contd. of page 2)

## \* 7 Handling and storage

### - Handling:

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

### - Specific end use(s) No further relevant information available.

## \* 8 Exposure controls/personal protection

### - Additional information about design of technical systems: No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

##### 7440-02-0 nickel powder (particle diameter < 1 mm)

PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 0.015 mg/m <sup>3</sup> as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m <sup>3</sup> elemental, *inhalable fraction

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Not required.
- **Body protection:** Protective work clothing

## \* 9 Physical and chemical properties

### - Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

- **Form:** Pasty
- **Color:** Silver grey
- **Odor:** Petrol-like
- **Odor threshold:** Not determined.

- **pH-value at 20 °C (68 °F):** 7

#### - Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** > 260 °C (> 500 °F)

- **Flash point:** > 221 °C (> 430 °F)

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/14/2016

Reviewed on 01/14/2016

Trade name: Seize Release Nickel Anti-Seize

(Contd. of page 3)

- <b>Flammability (solid, gaseous):</b>	Not determined.
- <b>Ignition temperature:</b>	
- <b>Decomposition temperature:</b>	Not determined.
- <b>Auto igniting:</b>	Product is not selfigniting.
- <b>Danger of explosion:</b>	Product does not present an explosion hazard.
- <b>Explosion limits:</b>	
- <b>Lower:</b>	Not determined.
- <b>Upper:</b>	Not determined.
- <b>Vapor pressure:</b>	Not applicable.
- <b>Density at 20 °C (68 °F):</b>	1.12 g/cm <sup>3</sup> (9.346 lbs/gal)
- <b>Relative density</b>	Not determined.
- <b>Vapor density</b>	Not applicable.
- <b>Evaporation rate</b>	Not applicable.
- <b>Solubility in / Miscibility with</b>	
- <b>Water:</b>	Insoluble.
- <b>Partition coefficient (n-octanol/water):</b>	Not determined.
- <b>Viscosity:</b>	
- <b>Dynamic at 20 °C (68 °F):</b>	300000 mPas
- <b>Kinematic:</b>	Not applicable.
- <b>Solvent content:</b>	
- <b>Organic solvents:</b>	0.0 %
- <b>VOC content:</b>	0.0 g/l / 0.00 lb/gl
- <b>Solids content:</b>	92.0 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
    - **Primary irritant effect:**
      - **on the skin:** No irritant effect.
      - **on the eye:** No irritating effect.
    - **Sensitization:** Sensitization possible through skin contact.
  - **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

- <b>IARC (International Agency for Research on Cancer)</b>	
7440-02-0	nickel powder (particle diameter < 1 mm) 1
- <b>NTP (National Toxicology Program)</b>	
7440-02-0	nickel powder (particle diameter < 1 mm) R
- <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>	
None of the ingredients is listed.	

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/14/2016

Reviewed on 01/14/2016

Trade name: Seize Release Nickel Anti-Seize

(Contd. of page 4)

## \*12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
  - **General notes:**
    - Water hazard class 2 (Self-assessment): hazardous for water
    - Do not allow product to reach ground water, water course or sewage system.
    - Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- <b>UN-Number</b>	
- <b>DOT, ADN, IMDG, IATA</b>	not regulated
- <b>UN proper shipping name</b>	
- <b>DOT, ADN, IMDG, IATA</b>	not regulated
- <b>Transport hazard class(es)</b>	
- <b>DOT, ADN, IMDG, IATA</b>	
- <b>Class</b>	not regulated
- <b>Packing group</b>	
- <b>DOT, IMDG, IATA</b>	not regulated
- <b>Environmental hazards:</b>	
- <b>Marine pollutant:</b>	No
- <b>Special precautions for user</b>	Not applicable.
- <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
- <b>UN "Model Regulation":</b>	not regulated

## \*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### - Section 313 (Specific toxic chemical listings):

7440-02-0 nickel powder (particle diameter &lt; 1 mm)

### - TSCA (Toxic Substances Control Act):

All ingredients are listed.

### - Proposition 65

#### - Chemicals known to cause cancer:

7440-02-0 nickel powder (particle diameter &lt; 1 mm)

#### - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/14/2016

Reviewed on 01/14/2016

**Trade name:** Seize Release Nickel Anti-Seize

(Contd. of page 5)

<b>- Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients is listed.	
<b>- Chemicals known to cause developmental toxicity:</b>	
None of the ingredients is listed.	
<b>- Carcinogenic categories</b>	
<b>- EPA (Environmental Protection Agency)</b>	
None of the ingredients is listed.	
<b>- TLV (Threshold Limit Value established by ACGIH)</b>	
7440-02-0	nickel powder (particle diameter < 1 mm) <span style="float: right;">A5</span>
<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
7440-02-0	nickel powder (particle diameter < 1 mm)
<b>- Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

## \*16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:** Safety, Health and Environmental Affaires

- **Date of preparation / last revision** 01/14/2016 / 26

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
 Carc. 2: Carcinogenicity, Hazard Category 2  
 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

- \* **Data compared to the previous version altered.**